INDEX

Page

Abortion, infectious—
in rats, relation to vitamin content of feed.. 202–208
resistance of albino rat, effect of diet..... 201–208
Acids, Sulphur, Pentathionic and Other, Effect on Toxicity of Sulphur to Spores of *Sclerotinia cinerea*. O. Neal Liming and H. C. Young..... 951–962
Ackerson, C. W.—
and Mussehl, F. E.: Sex Differences in the Normal Growth Rate of Chicks.. 863–866
Mussehl, F. E.; Hill, R. S.; and Blish, M. J.: Utilization of Calcium by the Growing Chick..... 191–199
Aegilops—
species and hybrids, chromosomes, numbers and behavior..... 701–713, 714–717
× Triticum hybrids, chromosomes, behavior..... 704–713, 714, 716
Alfalfa—
Freezing, Root Injuries Resulting from. J. L. Weimer..... 121–143
frozen roots, histological changes..... 129–133
Hay—
and Corn and Sunflower Silage, Proteins in, Biological Values and Supplementary Relations. J. Sotola... 79–96
net-energy value as cattle feed, study... 38–40, 42–46, 57–59, 65–77
phloem injury and heart rot from freezing.. 122–142
Root Injuries Resulting from Freezing. J. L. Weimer..... 121–143
varieties, resistance to winter injury..... 135–140
wilt, Fusarium, temperature and soil-moisture relations..... 97–103
winter injury, relation to disease infection 133–135
Alicata, Joseph E., and Schwartz, Benjamin—
Species of the Nematode Genus Strongyloides Parasitic in Domestic Swine.... 11–23
Two New Species of Nodular Worms (Oesophagostomum) Parasitic in the Intestine of Domestic Swine..... 517–522
Alkali disease, cause..... 649, 657
Allen, Ruth F.: A Cytological Study of Heterothallism in *Puccinia graminis*..... 585–614
Alumina, in soil, variation with depth of profile..... 472–482
Alway, Frederick J., and Nesom, G. H.: Protein Content of Reed Canary Grass on Peat Soils..... 297–320
Amines, Aliphatic, and Some Derivatives of Pyridine and Pyrrolidine, Insecticidal Action. C. H. Richardson and H. H. Shepard..... 1007–1015
Amino-acids, values in rations for lambs 79, 80, 89, 91
Ammonium thiocyanate, seed treatment for wheat, effect on germination and growth..... 28, 29–33, 34
Anemia, Nutritional, in Suckling Pigs, Production and Cure. T. S. Hamilton, G. E. Hunt, H. H. Mitchell, and W. E. Carroll..... 927–938
Animals—
dietary requirements, relation to vitamin-A reserve..... 1142–1144
nutritive value of yellow corn and grain sorghums..... 1129–1144, 1147–1153
Anthocyan Pigmentation in Rice, Inheritance. Jenkin W. Jones..... 1105–1128
Aphids, control with nicotine and other nitrogenous compounds, experiments... 1007–1014
Aphis rumicis, toxicity of nitrogenous compounds to, tests..... 1007–1014

Page

Aplopappus heterophyllus. *See* Goldenrod, rayless.
Apple—
Root Production, Effect of Crown-Gall Organism on. E. A. Siegler..... 747–753
scab, control with oxidized sulphur, tests. 961
seedlings, growth, effect of inoculation with crown-gall organism..... 749–751
shoot, food supply, factor in occurrence of woolly knot..... 751–753
spraying, efficiency of oil emulsions with Bordeaux mixture..... 758–759
Arachin—
and Conarachin, Properties, and Proportionate Occurrence in the Peanut. D. Breese Jones and Millard J. Horn.. 673–682
in peanuts—
estimation methods..... 680–681
precipitation methods..... 675–676
Artschwager, Ernst: A Study of the Structure of Sugar Beets in Relation to Sugar Content and Type..... 867–915
Aspidiotus perniciosus, control experiments..... 755–765

Bacillary white diarrhea, transmission in incubators..... 209–223
Bacillus abortus. See *Bacterium abortus*.
Bacterial—
blight of poppy. *See* Blight, bacterial, of poppy.
leaf spot. *See* Leaf spot, bacterial.
Streak Disease of Sorghums—
Charlotte Elliott..... 963–976
causal organism..... 968–973
Bacterium—
abortus—
Resistance of Albino Rat, Effect of Diet. Ralph Hoagland and John M. Buck. 201–208
See also Abortion, infectious.
cucurbitae—
hosts and dissemination..... 385, 388–389
inoculation on various hosts..... 387–388
morphology and cultural characters.... 389–390
physiology and technical description... 390–391
holicola, n. sp.—
cultural characters and physiology..... 968–972
effect on culture solutions containing carbon compounds..... 973
isolation and inoculation experiments.. 963–968
morphology and staining reactions..... 968
technical description..... 972
papavericola, Sp. Nov.—
Cause of Bacterial Blight of Poppy. Mary K. Bryan and Frank P. McWhorter..... 1–9
characters and technical description... 6–9
effects on poppy plant, description.... 2–4
entrance into poppy tissue..... 3
from poppy, isolations and inoculations 5–6
morphology..... 6
phaseoli, damage to beans, comparison with thresher injury..... 372, 373
pullorum. See *Salmonella pullorum*.
tumefaciens—
apple strain, effect on root production.. 747–753
girdling effect on apple shoots..... 752–753
peach strain, effect on apple-root production..... 750–751
Baldhead, in beans—
symptoms, causes, and types.. 372, 374–378, 381–384
Thresher Injury as Cause. L. L. Harter.. 371–384

Page

Barberry plant, heterothallism of *Puccinia graminis* on ... 588–611
Barley, varieties, susceptibility to mosaic of winter wheat ... 548, 549
Barns, ventilation requirements, study ... 283–295
Bartholomew, R. P., and Janssen, George: The Influence of the Potash Concentration in the Culture Medium on the Production of Carbohydrates in Plants ... 243–261
Beans—
baldhead, symptoms, causes, and types 372, 374–378, 381–384
Thresher Injury, Cause of Baldhead. L. L. Harter ... 371–384
threshing, by machine and by hand, comparison ... 375–378
varietal susceptibility to—
baldhead ... 371, 376
thresher injury ... 377–378, 383
Beef—
Extract, as Source of Vitamin G. Ralph Hoagland and George G. Snider ... 977–990
lean, source of Vitamin G ... 989, 990
Bees, toxicity of pyrethrum vapors to, determination ... 1053–1056
Beetle, Japanese. *See* Japanese beetle.
Beets, sugar. *See* Sugar beets.
Benzylpyridine, toxicity to *Aphis rumicis*, experiments ... 1010, 1012–1014
Bikukulla formosa—
chemical examination ... 917–919
description and range ... 917
(Western Bleedingheart) Toxicity. O. F. Black, W. W. Eggleston, and J. W. Kelly ... 917–920
Black, O. F.; Eggleston, W. W.; and Kelly, J. W.: Toxicity of *Bikukulla formosa* (Western Bleedingheart) ... 917–920
Bleedingheart, Western—
(*Bikukulla formosa*), Toxicity. O. F. Black, W. W. Eggleston, and J. W. Kelly ... 917–920
See also *Bikukulla formosa*.
Blight, Bacterial, of Poppy—
Caused by *Bacterium papavericola*, Sp. Nov. Mary K. Bryan and Frank P. McWhorter ... 1–9
history at Franklin, Va ... 1
importance and geographical distribution ... 1–2
pathogene, characters and description ... 6–9
symptomatology ... 2–4
Blish, M. J.; Ackerson, C. W.; Mussehl, F. E.; and Hill, R. S.: Utilization of Calcium by the Growing Chick ... 191–199
Blister rust—
infection, relation to seasons ... 107
nut pine. *See* Blister rust, piñon; *Cronartium occidentale*.
piñon—
distinction from white-pine blister rust, physiological method ... 105–119
See also *Cronartium occidentale*.
white-pine—
distinction from piñon blister rust, physiological method ... 105–119
See also *Cronartium ribicola*.
Blister rusts, white pine and piñon, behavior in greenhouse ... 107–108
Blood composition, in pigs, effect of iron in ration ... 925–926
Bluegrass, Kentucky, Leaf Spot and Foot Rot—
Caused by *Helminthosporium vagans*. Charles Drechsler ... 447–456
control ... 450, 456
Body Weight, Insensible Loss in Cattle. Max Kriss ... 271–281
Bordeaux Mixture, Influence on Efficiency of Lubricating-Oil Emulsions in Control of San Jose Scale. B. A. Porter and R. F. Sazama ... 755–766
Bowling, J. D., jr.—
Garner, W. W.; McMurtrey, J. E., jr.; and Moss, E. G.: Rôle of Chlorine in Nutrition and Growth of the Tobacco Plant and Its Effect on the Quality of the Cured Leaf ... 627–648

Page

Bowling, J. D., jr.—Continued.
Moss, E. G.; Garner, W. W.; and McMurtrey, J. E., jr.: Magnesium and Calcium Requirements of the Tobacco Crop ... 145–168
Braman, Winfred W.; Kriss, Max; Swift, R. W.; French, Rowland B.; Smythe, C. V.; Williams, P. S.; Williams, H. H.; and Forbes, E. B.: Further Studies of the Energy Metabolism of Cattle in Relation to the Plane of Nutrition ... 37–78
Brand canker. *See* Canker, brand.
Brassica—
alba, inoculation with cruciferous mosaic ... 264–265
chinensis, inoculation with cruciferous mosaic ... 264, 269
napobrassica, inoculation with cruciferous mosaic ... 265, 266–268, 270
napus, inoculation with cruciferous mosaic ... 265
nigra, inoculation with cruciferous mosaic ... 264–265
oleracea—
resistance to yellows ... 742–743
See also Brussels sprouts; Cabbage; Cauliflower.
rapa, inoculation with cruciferous mosaic ... 265
spp. *See* Crucifers.
Breeding—
maize, behavior of slashed plants ... 939–950
sugar beets, preliminary study ... 523–544
See also Crossbreeding; Inbreeding.
Bressman, E. N., and Smith, D. C.: Some Effects of Seed Treatment on the Germination and Subsequent Growth of Wheat ... 25–36
Brevicoryne brassicae, carrier of cruciferous mosaic ... 264, 265, 266, 268, 269
Brewbaker, H. E.: Linkage Studies with "Slashed" and "Glossy$_1$" of the "Bn" Linkage Group in Maize ... 939–950
Briggs—
F. N.: Inheritance of the Second Factor for Resistance to Bunt, *Tilletia tritici*, in Hussar Wheat ... 225–232
Fred N.: Inheritance of Resistance to Bunt, *Tilletia tritici* in White Odessa Wheat ... 353–359
Brooding, chicks, pullorum infection, experiments ... 215–221, 223
Brussells sprouts, inoculation with cruciferous mosaic ... 263, 264, 265, 266, 268, 269, 270
Bryan, Mary K.—
Bacterial Leaf Spot of Squash ... 385–391
and McWhorter, Frank P.: Bacterial Blight of Poppy Caused by *Bacterium papavericola*, Sp. Nov ... 1–9
Buck, John M., and Hoagland, Ralph: Effect of Diet on the Resistance of the Albino Rat to *Bacterium abortus* ... 201–208
Buckley, John S.; Joss, E. C.; Creech, G. T.; and Couch, James F.: Carotenosis of Bovine Livers Associated with Parenchymatous Degeneration ... 991–1005
Bunt—
resistance—
in wheat varieties, discussion ... 358–359
inheritance of second factor in Hussar wheat ... 225–232
Tilletia tritici, Resistance in White Odessa Wheat, Inheritance. Fred N. Briggs ... 353–359
Bunyea, Hubert, and Hall, Walter J.: Transmission of Pullorum Disease (Bacillary White Diarrhea) in Incubators ... 209–223

Cabbage—
aphid, carrier of cruciferous mosaic ... 264, 265, 266, 268, 269
Chinese, inoculation with cruciferous mosaic, results ... 264, 269
Fusarium Resistance, Inheritance. J. C. Walker ... 721–745
immunity to cruciferous mosaic ... 266, 268
varieties, crossbreeding for resistance to yellows ... 721–722, 725–745
wild, resistance to yellows ... 742–743
yellows—
inheritance in crossed lines, experiments ... 732–743
symptoms ... 722–723

Page

Calcium—
and Magnesium Requirements of Tobacco Crop. W. W. Garner, J. E. McMurtrey, jr., J. D. Bowling, jr., and E. G. Moss ... 145–168
deficiency—
in tobacco, symptoms ... 155–163, 166, 167
of tobacco soils, remedy ... 160–161, 166–168
fixation, by chicks, effect of magnesium ... 195–197
phosphorus deficiency in diet of rats, relation to infectious abortion ... 207–208
requirements of tobacco, determination ... 161–163
salts, relative availability for chicks ... 195
Utilization by Growing Chick. F. E. Mussehl, R. S. Hill, M. J. Blish, and C. W. Ackerson ... 191–199
Caldis, Panos D.: Souring of Figs by Yeasts and the Transmission of the Disease by Insects ... 1031–1051
Canary grass—
from Minnesota seed, protein content ... 300–305
from Russian seed, protein content ... 305–308
reed—
fertilization, effect on protein content ... 309–310, 315, 316, 318–319
from German seed, protein content, yield, and average height ... 309–310
protein content, comparison with timothy ... 314–316
protein content on moisture-free basis ... 298–300
Protein Content on Peat Soils. Frederick J. Alway and G. H. Nesom ... 297–320
protein distribution in aerial portions ... 311–314, 318
spacing, effect on protein content ... 301–302, 305–308, 318
Canker—
brand, of rose—
causal organism, study ... 805–818, 825–826
distribution ... 807, 809
symptoms ... 805, 809–810
graft, of rose—
causal organism, study ... 805–809, 815–816, 818–826
distribution ... 807, 809
symptoms ... 805, 819
stem, of rose—
causal organism, study ... 805–809, 815–816, 818–825
distribution ... 807, 809
symptoms ... 805, 819
Canning, tomatoes, effect on vitamin-C content ... 768, 770–771, 775
Carbohydrates—
digestion in tobacco plant, effect of chlorine in fertilizer ... 635–639, 645
Production in Plants, Influence of Potash Concentration in Culture Medium. George Janssen and R. P. Bartholomew ... 243–261
Carotenosis of Bovine Livers Associated with Parenchymatous Degeneration. John S. Buckley, E. C. Joss, G. T. Creech, and James F. Couch ... 991–1005
Carpophilus hemipterus, transmission of yeasts from soured figs ... 1043–1049
Carroll, W. E.—
Hamilton, T. S., Hunt, G. E., and Mitchell, H. H.: The Production and Cure of Nutritional Anemia in Suckling Pigs ... 927–938
Mitchell, H. H., and Hunt, G. E.: Ferric Citrate as an Ingredient of Mineral Mixtures in Paired-Feeding Experiments with Growing Swine ... 921–926
Caskey, Charles, Penquite, Robert, and Heller, V. G.: The Possible Toxicity of Grain-Sorghum Smuts ... 347–351
Cattle—
Body Weight—
Insensible Loss. Max Kriss ... 271–281
insensible loss, computation ... 272–276
insensible loss, influence of environment ... 276–279
energy—
losses per day ... 41–42, 48–49
Metabolism in Relation to Plane of Nutrition, Further Studies. E. B. Forbes, Winfred W. Braman, Max Kriss, R. W. Swift, Rowland B. French, C. V. Smythe, P. S. Williams, and H. H. Williams ... 37–78

Page

Cattle—Continued.
fasting, effects on heat production ... 38, 50–57, 58, 60–61, 75–78
feed, dry matter, relation to insensible loss in weight ... 283–295
feeding experiments, results on metabolism and nutrition ... 37–78
gaseous outgo, relation to insensible loss in weight ... 283–295
hair covering, influence on insensible loss of body weight ... 279–280
heat—
emissions and heat production per day ... 47–48
production, relation to insensible loss in weight ... 283–295
livers, carotenosis associated with parenchymatous degeneration, study ... 991–1005
metabolism—
balance of matter and energy per day ... 42–46
relation to insensible loss in weight ... 271–281, 283–295
Nutrition Plane, Relation to Energy Metabolism, Further Studies. E. B. Forbes, Winfred W. Braman, Max Kriss, R. W. Swift, Rowland B. French, C. V. Smythe, P. S. Williams, and H. H. Williams ... 37–78
Quantitative Relations of Dry Matter of Food Consumed, Heat Production, Gaseous Outgo, and Insensible Loss in Body Weight. Max Kriss ... 283–295
rations, net-energy values, experimental study ... 37–78
respiration, calorimetric experiments, results ... 289
utilization of feed, energy expenditure ... 57–61, 77
weight, insensible loss, quantitative relations ... 283–295
Cauliflower, inoculation with cruciferous mosaic ... 263, 265–266, 267, 268, 269, 270
Cell-Sap Concentration and Transpiration in Cotton Leaves, Relation to Age and Development. Frank M. Eaton ... 791–803
Cereal seeds, prolamins—
nitrogen distribution ... 367–368
percentage composition ... 366–367
yields ... 364
Cereals—
crossbreeding, in phylogenetic study of hybrids ... 683–717
Species in Tribe Hordeae, Transmission of Wheat Mosaic to. H. H. McKinney ... 547–556
Chemicals, effectiveness as seed treatment for wheat ... 28–34
Chick, Growing, Utilization of Calcium. F. E. Mussehl, R. S. Hill, M. J. Blish, and C. W. Ackerson ... 191–199
Chicks—
basal ration for calcium-utilization study ... 191–192
calcium—
fixation, effect of magnesium ... 195–197
requirements, minimum ... 192–193
growth—
effect of calcium salts ... 196–197
Rate, Normal, Sex Differences. C. W. Ackerson and F. E. Mussehl ... 863–866
hatching, incubator and hen, pullorum infection, comparison ... 219–221, 223
male and female, weights at different ages, comparison ... 864–866
mineral metabolism, effect of acid-base changes in ration ... 193–194
pullorum—
disease, dissemination in incubators ... 209–223
infected, hatchings in incubators and under hens, comparison ... 219–221, 223
Sex Differences in Normal Growth Rate. C. W. Ackerson and F. E. Mussehl ... 863–866
Chinese cabbage, inoculation with cruciferous mosaic ... 264, 269
Chlorine—
effect on—
carbohydrate metabolism in tobacco plant ... 635–639
quality of cured tobacco leaf ... 639–644, 645–646
yield and value of tobacco ... 627–630, 644, 646
relation to drought resistance in tobacco ... 632–635, 644–645

Chlorine—Continued. Page
Rôle in Nutrition and Growth of Tobacco Plant and Its Effect on Quality of Cured Leaf. W. W. Garner, J. E. McMurtrey, jr., J. D. Bowling, jr., and E. G. Moss 627–648
Clayton, E. E.: A Study of the Mosaic Disease of Crucifers 263–270
Clow, Bertha, and Marlatt, Abby L.: Studies of Vitamin C in Fresh and Canned Tomatoes 767–775
Cole, J. R., and Demaree, J. B.: Pecan Leaf Blotch 777–789
Colloidal material—
from soil profiles, fractionation 476–480
Isolated from Horizons of Various Soil Profiles, Chemical Composition. I. A. Denison 469–483
Colloids, soil, comparison in upper and lower horizons of profile 469, 471–482
Color characters, inheritance in rice 1105–1127
Colorado, Fort Collins, meteorological data, 1927 and 1928 885
Conarachin, in peanuts—
estimation methods 680–681
precipitation methods 676–677
Coniothyrium—
fuckelii—
morphology and physiology 819–823
pathogenicity to *Rosa* spp 823–824, 825–826
rosarum, comparison with *C. fuckelii* 822, 825
spp., Causes of Rose Diseases in United States. Alma M. Waterman 805–827
wernsdorffiae—
morphology and physiology 810–817, 825, 826
pathogenicity to *Rosa* spp 817–818
Copper—
function in blood formation in pigs 927–928, 932–938
sulphate, administration to suckling pigs, method 935–937
Corn—
and Sunflower Silage and Alfalfa Hay, Proteins in, Biological Values and Supplementary Relations. J. Sotola 79–96
Borer, European—
Important Parasite, *Eulimneria crassifemur*, Morphology and Biology. W. R. Thompson and H. L. Parker 321–345
parasitism of *Eulimneria crassifemur* on, extent and value 340–343
Diplodia-infected, effects of seed treatment 172–175, 186–188
diseases, control by seed treatment, study 169–189
extract, source of vitamin B in rat-feeding experiments 978, 980
meal, net-energy value as cattle feed, study 38–40, 42–45, 58–59, 68–73, 77
plants, carbohydrate constituents, dry matter, and potassium content, effect of potassium in nutrient medium 247, 251, 252, 258–259
Seed—
Treated, Field Tests with. T. A. Kiesselbach 169–189
treatment, benefits, relation to planting time 182–186, 189
treatment, effect on diseased, disease-free, and farm-selected "planter-box" seed 172–181
treatment, reliability, effect of field-plot technic 171–172
Sweet—
Defoliation and Root Pruning, Effects on Chemical Composition of Kernels. C. W. Culpepper and C. A. Magoon 575–583
mutilation of plants, effect on yield and quality of grain 575–582
Yellow—
and Grain Sorghums Hegari and Yellow Milo, Comparative Nutritive Value. Margaret Cammack Smith 1129–1145
and Grain Sorghums Hegari and Yellow Milo, Vitamin-A Content, Quantitative Comparison. Margaret Cammack Smith 1147–1153
vitamin-A content, measurement by feeding tests 1152–1153
Corn—Continued. Page
yields from treated and untreated seed 173–181, 183–189
See also Maize.
Corpuscles, red, count in blood of pigs, effect of—
iron and copper in ration 932–938
iron in ration 925
Cotton—
Acala and Pima, Fiber Development. R. S. Hawkins and George H. Serviss 1017–1029
fibers, life history in Pima and Acala varieties 1017–1029
flea hopper—
bite, effects 504–511, 514–515
digestive system, description and histology 486–496
injury to cotton plant, studies 497–515
mouth parts, mechanism 495–496
parasites 496
Psallus seriatus Reut., Study with Especial Reference to Its Effect on Cotton Plant Tissues. Reginald H. Painter 485–516
tests for presence of enzymes 513, 515
hopper. *See* Cotton flea hopper.
leaves—
age, effect on transpiration 791, 795, 801, 802
age, relation to temperature 796, 802
Cell-Sap Concentration and Transpiration as Related to Age and Development. Frank M. Eaton 791–803
electrical conductivity, specific 797–798, 802
temperature, relation to age of plant 796, 802
transpiration rate, factors affecting, study 791–802
Pima and Acala—
Fiber Development. R. S. Hawkins and George H. Serviss 1017–1029
flowering rate, comparison 1018, 1028
plant tissues, injury by flea hopper, studies 497–515
plants, carbohydrate constituents, dry matter, and potassium content, effect of potassium in nutrient medium 247, 251–252, 254–259
shedding, relation to flea-hopper injury 509–511
Couch, James F.—
The Toxic Constituents of Rayless Goldenrod 649–658
Buckley, John S.; Joss, E. C.; and Creech, G. T.: Carotenosis of Bovine Livers Associated with Parenchymatous Degeneration 991–1005
Cowpeas, carbohydrate constituents, dry matter, and potassium content, effect of potassium in nutrient medium 247, 249, 250, 254, 256–259
Cows—
milk, feeding on smutted sorghum, experiments 350–351
See also Cattle.
Creech, G. T.; Couch, James F.; Buckley John S.; and Joss, E. C.: Carotenosis of Bovine Livers Associated with Parenchymatous Degeneration 991–1005
Cronartium—
occidentale—
Distinguishing from *C. ribicola* in Uredinial Stages, Physiological Methods. Glenn Gardner Hahn 105–120
physiological comparison with *C. ribicola* 109–117
ribicola—
Distinguishing from *C. occidentale* in the Uredinial Stages, Physiological Method. Glenn Gardner Hahn 105–120
physiological comparison with *C. occidentale* 109–117
unknown, on Ribes, diagnosis 117–118
Crossbreeding—
cabbage varieties, for resistance to yellows 721–722, 725–745
cereals, in phylogenetic study of hybrids 683–717
maize, linkage studies with slashed and glossy characters 943–950
rice, in study of anthocyan pigmentation 1105–1108
soybeans, for eyebrow-color pattern 841–847
wheat, for resistance to bunt 226–232, 353, 354–358

Page

Crown-Gall Organism, Apple Strain, Effect on Root Production. E. A. Siegler..... 747–753
Cruciferae. *See* Crucifers.
Crucifers, Mosaic Disease, Study. E. E. Clayton..... 263–270
Cucurbits, bacterial leaf spot, experimental study..... 385–391
Culpepper, C. W., and Magoon, C. A.: Effects of Defoliation and Root Pruning on the Chemical Composition of Sweet-Corn Kernels..... 575–583
Currant, Fay's Prolific, immunity to *Cronartium occidentale*..... 107–108, 116, 118, 119
Currants, varieties, differential hosts for *Cronartium ribicola* and *C. occidentale*, study..... 105–119

Defoliation, of sweet-corn plant, effect on quality and composition of grain..... 575–582
Demaree, J. B., and Cole, J. R.: Pecan Leaf Blotch..... 777–789
Denison, I. A.: The Chemical Composition of Colloidal Material Isolated from the Horizons of Various Soil Profiles..... 469–483
Dextrins, content of plants, relation to potassium concentration of nutrient medium..... 246–259
Diarrhea, bacillary, white, transmission in incubators..... 209–223
Dicentra. *See* Bikukulla.
Diet—
  Effect on Resistance of Albino Rat To *Bacterium abortus*. Ralph Hoagland and John M. Buck..... 201–208
  vitamin content, relation to infectious abortion in rats..... 202–208
Diplanetism, Repetitional, in the Genus Phytophthora. Charles Drechsler..... 557–573
Diplodia, disease of corn, control by seed treatment, tests..... 172–175, 186–188
Drechsler, Charles—
  Leaf Spot and Foot Rot of Kentucky Bluegrass Caused by *Helminthosporium vagans*..... 447–456
  Repetitional Diplanetism in the Genus Phytophthora..... 557–573
Dried-fruit beetle, transmission of yeasts from soured figs..... 1043–1049
Drosophila ampelophila, transmission of yeasts from soured figs..... 1043, 1048–1049
Dry rots, of corn, control by seed treatment. 169–189
Dust, sulphur, use against wheat leaf rust..... 424–427, 434, 445
Dusts—
  effectiveness against Japanese beetle..... 665–667
  sulphur, toxicity tests..... 951–962
Dyes, vital, use in cotton flea-hopper experiments..... 503–505

Eaton, Frank M.: Cell-Sap Concentration and Transpiration as Related to Age and Development of Cotton Leaves..... 791–803
Eggleston, W. W.; Kelly, J. W.; and Black, O. F.: Toxicity of *Bikukulla formosa* (Western Bleedingheart)..... 917–920
Eggs, infection with pullorum disease, incubation experiments..... 214–215, 217–222
Elliott, Charlotte: Bacterial Streak Disease of Sorghums..... 963–976
Energy Metabolism, of Cattle, in Relation to Plane of Nutrition, Further Studies. E. B. Forbes, Winfred W. Braman, Max Kriss, R. W. Swift, Rowland B. French, C. V. Smythe, P. S. Williams, and H. H. Williams..... 37–78
Environment, influence on insensible loss of body weight in cattle..... 276–279, 281
Enzymes, presence in cotton flea hopper, tests..... 513, 515
Erythrocytes, count in blood of pigs, effect of—
  iron and copper in ration..... 932–938
  iron in ration..... 925
Ethyl bromide, seed treatment, effects on wheat germination and growth..... 28, 29–33, 34
Ethylene coloring, effect on vitamin-C content of tomatoes..... 768, 772, 775
Eugenol, attrahent for Japanese beetle, tests..... 660–665, 670

Eulimneria crassifemur— Page
  effectiveness in control of corn borer..... 340–343
  geographical distribution..... 321, 339–340
  habits and life history..... 331–336
  host relations..... 322, 340–343
  Important Parasite of European Corn Borer, Morphology and Biology. W. R. Thompson, and H. L. Parker..... 321–345
  seasonal history..... 336–339
  systematic position and synonomy..... 321
  technical description..... 322–331
Euphorbia intisy—
  Anatomy. Charles F. Swingle..... 615–625
  classification..... 616–617
  tapping for rubber, discussion..... 615
  vegetative characters..... 617–624
Eyebrow pattern, inheritance in soybeans..... 841–847, 848, 850, 874

Fasting, cattle, heat-production study..... 38, 50–57, 58, 60–61, 75–78
Fay, A. C.: The Normal Limits of Variation of the Methylene-Blue Reduction Test.. 855–862
Feed, cattle, partition of energy..... 54, 61–63
Feeding—
  animals—
    nutritive value of yellow corn and grain sorghums..... 1129–1144, 1147–1153
    on smutted sorghums, experiments..... 347–351
  pigs, with—
    copper sulphate and ferric citrate in ration..... 927–938
    ferric citrate in mineral mixtures, experiments..... 921–926
  rats, nutritive value of yellow corn and grain sorghums..... 1129–1144, 1147–1153
Feeds—
  cattle—
    heat-increment values, determination.. 39, 54, 58–61, 63, 68–74
    net-energy values, experimental study. 37–78
  nutritive values, factors affecting..... 80–82
  protein values, study with hay and silage..... 79–96
  utilization by cattle, energy expenditure. 57–61, 77
Ferric Citrate—
  administration to suckling pigs..... 935–937
  as an Ingredient of Mineral Mixtures in Paired-Feeding Experiments with Growing Swine. W. E. Carroll, H. H. Mitchell, and G. E. Hunt..... 921–926
Fertilizer—
  nitrogen, effect on protein content of reed canary grass..... 309–310, 315, 316, 318–319
  tobacco, magnesium and calcium balance..... 163–166, 168
Feterita, bacterial streak disease, study... 967, 974
Figs, Souring—
  by Yeasts, and Transmission of the Disease by Insects. Panos D. Caldis... 1031–105
  distribution and economic importance. 1034–1036
  etiology..... 1036–1042
  synonomy and symptoms..... 1032–1034
Flea hopper, cotton. *See* Cotton flea hopper.
Fleeces—
  fineness as influenced by rate of growth.. 457–467
  tender, causes and control..... 457–458, 466, 467
Flowering, in *Hicoria pecan*, studies..... 1059–1103
Foot rot, of Kentucky bluegrass—
  causal organism..... 447, 449, 450–456
  description..... 450
Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Swift, R. W.; French, Rowland B.; Smythe, C. V.; Williams, P. S.; and Williams, H. H.: Further Studies of the Energy Metabolism of Cattle in Relation to the Plane of Nutrition..... 37–78
Fragaria—
  americana, fruit-bud development..... 394, 396, 398, 403, 404, 406
  chiloensis, fruit-bud development..... 394, 396, 398, 399, 403, 406
  nilgerrensis, fruit-bud development..... 394, 396, 398, 403, 406, 407
  spp. *See* Strawberries.
  virginiana, fruit-bud development..... 394, 396, 398, 403, 404, 406

Page

Freezing—
Alfalfa, Root Injuries Resulting from. J. L. Weimer 121-143
wheat seed, effects on germination and growth 28, 30, 34-35
French, Rowland B.; Smythe, C. V.; Williams, P. S.; Williams, H. H.; Forbes, E. B.; Bratnan, Winfred W.; Kriss, Max; and Swift, R. W.: Further Studies of the Energy Metabolism of Cattle in Relation to the Plane of Nutrition 37-78
Fruit—
Bud—
Development in Strawberry Varieties and Species. George F. Waldo 393-407
differentiation in strawberry, and date of fruit-bud formation, by varieties .. 396-397, 403, 410-413
Formation, in Everbearing Strawberries. George F. Waldo 409-416
juices, fermentation by yeasts from soured figs 1039-1041
Fusarium—
conglutinans, hosts and resistance factor . 742-743
oxysporum var. *medicaginis*—
infection of alfalfa, relation to soil moisture and temperature 99-102
mycelial growth, effect of temperature . 98-99
Temperature and Soil-Moisture Relations. J. L. Weimer 97-103
Resistance, in Cabbage, Inheritance. J. C. Walker 721-745

Garner, W. W.; McMurtrey, J. E., jr.; Bowling, J. D., jr.; and Moss, E. G.—
Magnesium and Calcium Requirements of the Tobacco Crop 145-168
Rôle of Chlorine in Nutrition and Growth of the Tobacco Plant and Its Effect on the Quality of the Cured Leaf 627-648
Geraniol, attrahent for Japanese beetle, tests 660-665, 670
Ginsburg, Joseph M.: Test to Determine Toxicity of Pyrethrum Vapors to Honeybees 1053-1057
Glossy character, in maize, linkage with other factors 948-950
Goldenrod, rayless—
extract, fractionating procedure 649-651
Toxic Constituent. James Fitton Couch . 649-658
toxicity—
of dried plant 657, 658
to sheep, experimental results 651-657
Gooseberries, varieties, differential hosts for *Cronartium ribicola* and *C. occidentale*, study 105, 112, 113, 117
Graft canker. *See* Canker, graft.
Grain—
net-energy values, determination 67-72, 75, 76
sorghums. *See* Sorghums, grain.
Grains—
sorghum—
inadequacy as sole source of nutriment 1131-1132
mineral content 1133-1135
protein content 1132-1133
vitamin-A content 1135-1144
susceptibility to mosaic of winter wheat 547-556
Grossulariaceae, differential hosts for *Cronartium ribicola* and *C. occidentale*, study 105-119
Guinea pigs, scurvy, cure by feeding tomatoes 767-775

Hahn, Glenn Gardner: A Physiological method of Distinguishing *Cronartium ribicola* and *C. occidentale* in the Uredinial Stages 105-120
Hairy-root, organism, apple strain, effect on root production 747-753
Hall, Walter J., and Bunyea, Hubert: Transmission of Pullorum Disease (Bacillary White Diarrhea) in Incubators. 209-223
Hamilton, T. S.; Hunt, G. E.; Mitchell, H. H.; and Carroll, W. E.: The Production and Cure of Nutritional Anemia in Suckling Pigs 927-938
Hardy, J. I., and Tennyson, J. B.: Wool Fineness as Influenced by Rate of Growth 457-467

Page

Harter, L. L.: Thresher Injury a Cause of Baldhead in Beans 371-384
Hawkins, R. S., and Serviss, George H.: Development of Cotton Fibers in the Pima and Acala Varieties 1017-1029
Hay—
Alfalfa, and Corn and Sunflower Silage, Proteins in, Biological Values and Supplementary Relations. J. Sotola 79-96
canary grass—
protein content on peat soils 297-319
yields on peat soils, discussion 316-317, 318
Heart rot, alfalfa, result of freezing 122-142
Heat—
increments, of cattle feeds, determination 39, 54, 58-61, 63, 68-74
production, in cattle, factors affecting 38-78
Hegari—
bacterial streak disease, study 965, 974
nutritive value, comparison with corn .. 1135-1144
vitamin-A content, measurement by feeding tests 1148-1150
Heller, V. G.; Caskey, Charles; and Penquite, Robert: The Possible Toxicity of Grain-Sorghum Smuts 347-351
Helminthosporium vagans—
Cause of Leaf Spot and Foot Rot of Kentucky Bluegrass. Charles Drechsler 447-456
cultural characteristics 450-451
infection of Kentucky bluegrass 448-451, 456
morphology and taxonomy 452-456
Hemoglobin, content of blood of—
pigs, effect of iron and copper in ration ... 932-938
vigorous pigs 929
Heterothallism in—
plants, definition 585
Puccinia graminis, Cytological Study. Ruth F. Allen 585-614
Hicoria pecan, Staminate Inflorescence and Pollen, Studies. J. G. Woodroof 1059-1104
Hill, R. S.; Blish, M. J.; Ackerson, C. W.; and Mussehl, F. E.: Utilization of Calcium by the Growing Chick 191-199
Hoagland, Ralph and—
Buck, John M.: Effect of Diet on the Resistance of the Albino Rat to *Bacterium abortus* 201-208
Snider, George G.: Beef Extract as a Source of Vitamin G 977-990
Hogs—
roundworms, new species, description 15-18
See also Swine.
Holcus spp. *See* Sorghums.
Honeybees, Toxicity of Pyrethrum Vapors to, Determination Test. Joseph M. Ginsburg 1053-1057
Hopper, cotton. *See* Cotton flea hopper.
Hordeae, cereal species infection with mosaic of wheat 547-556
Hordeum sativum, susceptibility to mosaic of winter wheat 549
Horn, Millard J., and Jones, D. Breese: The Properties of Arachin and Conarachin and the Proportionate occurrence of These Proteins in the Peanut 673-682
Horses, feeding on smutted sorghum, experiments 350-351
Humidity, effect on pollen dissemination .. 1082-1086, 1096, 1098, 1102, 1103
Hunt, G. E.—
Carroll, W. E.; and Mitchell, H. H.: Ferric Citrate as an Ingredient of Mineral Mixtures in Paired-Feeding Experiments with Growing Swine 921-926
Mitchell, H. H.; Carroll, W. E.; and Hamilton, T. S.: The Production and Cure of Nutritional Anemia in Suckling Pigs. 927-938

Inbreeding, sugar beets, effect on structure and sucrose content 910-913
Incubators—
agitated-air and still-air, comparison in pullorum-disease tests 221-222, 223
Transmission of Pullorum Disease (Bacillary White Diarrhea). Hubert Bunyea and Walter J. Hall 209-223
Inflorescence, Staminate, and Pollen of *Hicoria pecan*, Studies. J. G. Woodroof. 1059-1104

Inheritance of— Page
Anthocyan Pigmentation in Rice. Jenkin W. Jones ... 1105–1128
bunt resistance, in White Odessa wheat. 353–359
Fusarium Resistance in Cabbage. J. C. Walker ... 721–745
Second Factor for Resistance to Bunt, *Tilletia tritici*, in Hussar Wheat. F. N. Briggs ... 225–232
Seed-Coat Colors, in Soybeans. Ralph T. Stewart ... 829–854
slashed character in maize ... 940–942
Inoculation—
apple cuttings and seedlings, with crown-gall organism, effects ... 748–752
Bacterium cucurbitae, on various hosts ... 387–388
cotton plant tissues, with suspensions of crushed flea hoppers, results ... 499–503, 515
crucifers, with mosaic virus, methods and results ... 263–268, 269–270
poppy plants, with *Bacterium papaveri-cola*, sp. nov ... 5–6
Ribes spp., with *Cronartium ribicola* and *C. occidentale*, methods and results ... 108–119
sorghums, with *Bacterium holicola*, n. sp ... 967–968
wheat varieties, with *Puccinia triticina*, effects ... 418–438, 445
Insecticides—
contact, against *Aphis rumicis*, tests of nitrogenous compounds ... 1007–1014
lubricating oil with Bordeaux mixture, efficiency against San Jose scale ... 755–765
Insects—
chewing, control with pyrethrum ... 1053, 1056
transmission of yeasts from soured figs. 1042–1049
Intisy. See *Euphorbia intisy*.
Iron—
citrate—
administration to suckling pigs, method as an ingredient of mineral mixtures in paired-feeding experiments with growing pigs ... 921–926
in soil, variation with depth of profile ... 472–482
supplements, in ration for pigs, value, studies ... 921–926, 928–938

Janssen, George, and Bartholomew, R. P.: The Influence of the Potash Concentration in the Culture Medium on the Production of Carbohydrates in Plants ... 243–261
Japanese beetle, repellents—
cage tests ... 667–668
Testing, Methods Used. F. W. Metzger. 659–671
Jimmy weed. *See* Goldenrod, rayless.
Jodidi, S. L.: Isolation and Purification of the Alcohol-Soluble Protein (Prolamin) Occurring in English Ryegrass (*Lolium perenne*) ... 361–370
Johnson grass, bacterial streak disease, study ... 963, 966, 967, 968, 969
Jones—
D. Breese, and Horn, Millard J.: The Properties of Arachin and Conarachin and the Proportionate Occurrence of These Proteins in the Peanut ... 673–682
Jenkin, W.: Inheritance of Anthocyan Pigmentation in Rice ... 1105–1128
Joss, E. C.; Creech G. T.; Couch, James F.; and Buckley, John S.: Carotenosis of Bovine Livers Associated with Parenchymatous Degeneration ... 991–1005

Kafir—
bacterial streak disease, study ... 964, 967, 974
smutted, feeding to animals, experiments. 348, 350
Katabolism, fasting, of cattle, as measure of maintenance requirement of net energy. 51–58, 61, 77–78
Kelly, J. W.; Black, O. F.; and Eggleston, W. W.: Toxicity of *Bikukulla formosa* (Western Bleedingheart) ... 917–920
Kentucky bluegrass. *See* Bluegrass.
Ketosis, in sheep, accompaniment of golden-rod poisoning ... 657, 658
Kiesselbach, T. A.: Field Tests with Treated Seed Corn ... 169–189

Kriss, Max— Page
Quantitative Relations of the Dry Matter of the Food Consumed, the Heat Production, the Gaseous Outgo, and the Insensible Loss in Body Weight of Cattle ... 283–295
Swift, R. W.; French, Rowland B.; Smythe, C. V.; Williams, P. S.; Williams, H. H.; Forbes, E. B.; and Braman, Winfred W.: Further Studies of the Energy Metabolism of Cattle in Relation to the Plane of Nutrition ... 37–78
The Insensible Loss in Body Weight of Cattle ... 271–281

Lambs—
feeding, protein value of hay and silage ... 79–96
metabolism experiments in protein study of feeds ... 86–89
nitrogen metabolism studies ... 82
protein maintenance requirements, determination ... 82–86
water consumption and excretions, effect of rations ... 93–95
See also Sheep.
Leaf—
Blotch, Pecan. J. B. Demaree and J. R. Cole ... 777–789
development in cotton plant after defoliation ... 799–802
rust, of wheat—
effect on yield ... 417–445
symptoms ... 424, 427, 436, 437–438
Spot—
Bacterial, of Squash. Mary K. Bryan ... 385–391
bacterial, of squash, geographical distribution ... 385
bacterial, of squash, symptomatology ... 385–386
of Kentucky bluegrass, causal organism ... 447, 449, 450–456
of Kentucky bluegrass, description ... 448–449
temperature, in cotton plant, measurement methods ... 793–795
Leptosphaeria coniothyrium, relation to *Coniothyrium fuckelii* ... 806, 825
Lime. *See* Calcium.
Limestone, remedy for magnesium hunger in tobacco ... 154–155
Liming, O. Neal, and Young, H. C.: Toxicity of Sulphur to Spores of *Sclerotinia cinerea* as Affected by the Presence of Pentathionic and Other Sulphur Acids ... 951–962
Linkage Studies, in Maize, with "Slashed" and "Glossy" of the "*Bn*" Linkage Group. H. E. Brewbaker ... 939–950
Livers—
Bovine—
Carotenosis Associated with Parenchymatous Degeneration. John S. Buckley, E. C. Joss, G. T. Creech, and James F. Couch ... 991–1005
parenchymatous degeneration, symptom of carotenosis ... 995–997
yellow pigmentation, cause ... 1004–1005
yellow, of cattle—
chemical and histological study ... 993–997
gross appearance ... 992
Livestock—
feeding on smutted sorghums, experiments ... 347–351
nutritive value of yellow corn and grain sorghums ... 1129–1144, 1147–1153
poisoning from western bleedingheart ... 920
Longley, A. E., and Sando, W. J.: Nuclear Divisions in the Pollen Mother Cells of Triticum, Aegilops, and Secale and Their Hybrids ... 683–719
Lubricating-Oil Emulsions, Efficiency in Control of San Jose Scale. Influence of Bordeaux Mixture on. B. A Porter and R. F. Sazama ... 755–766

McKinney, H. H.: A Mosaic of Wheat Transmissible to All Cereal Species in the Tribe Hordeae ... 547–556

Page

McMurtrey, J. E., jr.—
Bowling, J. D., jr.; Moss, E. G.; and Garner, W. W.: Magnesium and Calcium Requirements of the Tobacco Crop. 145–168
Garner, W. W.; Bowling, J. D. jr.; and Moss, E. G.: Rôle of Chlorine in Nutrition and Growth of the Tobacco Plant and Its Effect on the Quality of the Cured Leaf. 627–648
McWhorter, Frank P., and Bryan, Mary K.: Bacterial Blight of Poppy Caused by *Bacterium papavericola*, sp. nov. 1–9
Magnesium—
and Calcium Requirements of the Tobacco Crop. W. W. Garner, J. E. McMurtrey, jr., J. D. Bowling, jr., and E. G. Moss. 145–168
calcium balance in tosbcco fertilizer. 163–166, 168
deficiency—
in tobacco, effect on composition. 150–152
of tobacco soils, remedy. 153–155
effect on calcium fixation by chicks. 195–197
hunger, in tobacco, symptoms. 146–150, 166, 167
sources for fertilizers. 155
Magoon, C. A., and Culpepper, C. W.: Effects of Defoliation and Root Pruning on the Chemical Composition of Sweet-corn Kernels. 575–583
Mains, E. B.: Effect of Leaf Rust (*Puccinia triticina Eriks.*) on Yield of Wheat. 417–446
Maize—
characters, linkage studies. 939–950
glossy character, linkage with other factors. 948–950
Linkage Studies with "Slashed" and "Glossy$_1$" of the "*Bn*" Linkage Group. H. E. Brewbaker. 939–950
slashed character—
inheritance. 940–942
linkage studies. 942–950
Marlatt, Abby L., and Clow, Bertha: Studies of Vitamin C in Fresh and Canned Tomatoes. 767–775
Metabolism—
Energy, of Cattle, in Relation to Plane of Nutrition, Further Studies. E. B. Forbes, Winfred W. Braman, Max Kriss, R. W. Swift, Rowland B. French, C. V. Smythe, P. S. Williams, and H. H. Williams. 37–78
of cattle—
balance of matter and energy per day. 42–46
prediction equations, application. 291–294
relation to insensible loss in weight, study. 271–281, 283–295
of lambs, study of protein values in feeds. 86–89
Metanicotine, toxicity to *Aphis rumicis*, experiments. 1009–1012, 1014
Methylene-Blue Reduction Test, Normal Limits of Variation. A. C. Fay. 855–862
Metzger, F. W.: Methods Used in Testing Materials as Repellents against the Japanese Beetle. 659–671
Mildew, effect on blister-rust infection of *Ribes* spp. 107–108
Milk—
reduction test, methylene-blue, normal limits of variation. 855–862
sanitary quality, methylene-blue test, variation. 855–862
Milo—
bacterial streak disease, study. 967–968, 969, 974, 976
yellow—
nutritive value, comparison with corn. 1131–1132, 1144
vitamin-A content, measurement by feeding tests. 1150–1152
Mineral—
elements, content of sorghum grains. 1133–1135
Mixtures, Ferric Citrate as an Ingredient in Paired-Feeding Experiments with Growing Swine. W. E. Carroll, H. H. Mitchell, and G. E. Hunt. 921–926
Mitchell, H. H.—
Carroll, W. E.; Hamilton, T. S.; and Hunt, G. E.: The Production and Cure of Nutritional Anemia in Suckling Pigs. 927–938

Page

Mitchell, H. H.—Continued.
Hunt, G. E.; and Carroll, W. E.: Ferric Citrate as an Ingredient of Mineral Mixtures in Paired-Feeding Experiments with Growing Swine. 921–926
Moisture, soil—
control by automatic watering system with recorder. 233–241
relation to alfalfa-wilt infection. 99–102
Mosaic—
cruciferous—
development, effect of temperature. 269–270
hosts and occurrence on Long Island. 263–270
Disease of Crucifers, Study. E. E. Clayton. 263–270
green and yellow, of wheat, transmission to cereals in tribe Hordeae. 547–556
Moss, E. G.; Garner, W. W.; McMurtrey, J. E., jr.; and Bowling, J. D., jr.—
Magnesium and Calcium Requirements of the Tobacco Crop. 145–168
Rôle of Chlorine in Nutrition and Growth of the Tobacco Plant and Its Effect on the Quality of the Cured Leaf. 627–648
Mottling, green and yellow, of wheat, transmission to cereals in tribe Hordeae. 547–556
Mussehl, F. E.—
and Ackerson, C. W.: Sex Differences in the Normal Growth Rate of Chicks. 863–866
Hill, R. S.; Blish, M. J.; and Ackerson, C. W.: Utilization of Calcium by the Growing Chick. 191–199
Mustards, inoculation with cruciferous mosaic, results. 264–265, 269
Mycosphaerella dendroides (Cke.) comb. nov.—
identity and emended description. 783–785
morphology. 778–783, 787
physiology and pathogenicity. 785–787, 788
Myzus persicae, carrier of cruciferous mosaic. 264, 269

Nasturtium, tolerance to nicotine and other insecticides. 1009–1010
Nematode, Genus Strongyloides, Species Parasitic in Domestic Swine. Benjamin Schwartz and Joseph E. Alicata. 11–23
Nematodes—
occurrence in swine. 14–15
See also Roundworms; Strongyloides.
Nesom, G. H., and Alway, Frederick J.: Protein Content of Reed Canary Grass on Peat Soils. 297–320
Nicotine, toxicity studies. 1007, 1009–1012, 1014
Nicotyrine, toxicity to *Aphis rumicis*, experiments. 1009–1012, 1014
Nitrogen—
distribution in prolamins. 367–368
effect on protein content of reed canary grass. 309–310, 315, 316, 318–319
in peanut extract, character. 677–679
metabolic, estimation. 81
metabolism—
in lambs, study. 82
See also Metabolism.
Nitrogenous compounds, as contact insecticides against *Aphis rumicis*, tests. 1007–1014
Nodular Worms (Oesophagostomum) Two New Species Parasitic in the Intestine of Domestic Swine. Benjamin Schwartz and Joseph E. Alicata. 517–522
Nuclear Divisions, in Pollen Mother Cells of Triticum, Aegilops, and Secale and their Hybrids. A. E. Longley and W. J. Sando. 683 719
Nutrition—
in pigs, value of iron supplements, studies. 921–926, 928–938
plane, in cattle—
influence on insensible loss of body weight. 278–279, 280, 281
Relation to Energy Metabolism, Further Studies. E. B. Forbes, Winfred W. Braman, Max Kriss, R. W. Swift, Rowland B. French, C. V. Smythe, P. S. Williams, and H. H. Williams. 37–78

Page

Nutrition—Continued.
value of yellow corn and grain sorghums, tests 1129–1144, 1147–1153
Nuts, pecan, crop production, relation to flower production of following year 1098–1101, 1103

Oat—
plants, carbohydrate constituents, dry matter, and potassium content, effect of potassium in nutrient medium 244–246, 248, 249, 254, 256, 257–259
wild. *See* Aegilops.
Oats, immunity to mosaic of winter wheat 548
Oesophagostomum—
brevicaudum, n. sp., morphology 517–520
georgianum, n. sp., morphology 517–522
spp., parasitism in intestines of swine 517–522
Oils, lubricating, use with Bordeaux mixture against San Jose scale 755–765
Organic matter, in soil, variation with depth of profile 469–470, 472–482

Pack, Dean A.: Selection Characters as Correlated with Percentage of Sucrose, Weight, and Sucrose Content of Sugar Beets 523–546
Painter, Reginald H.: A Study of the Cotton Flea Hopper, *Psallus seriatus* Reut., with Especial Reference to Its Effect on Cotton Plant Tissues 485–516
Paired-Feeding Experiments with Growing Swine, Ferric Citrate as an Ingredient of Mineral Mixtures. W. E. Carroll, H. H. Mitchell, and G. E. Hunt 921–926
Papaver—
orientale, susceptibility to bacterial blight 2, 5–6
rhoeas, bacterial blight, study 1–9
Parasites, of cotton flea hopper 496
Parker, H. L., and Thompson, W. R.: The Morphology and Biology of *Eulimneria crassifemur*, an Important Parasite of the European Corn Borer 321–345
Peach—
aphid, green, carrier of cruciferous mosaic 264, 269
spraying, efficiency of oil emulsions with Bordeaux mixture 755–758, 760–765
trees, dusting and spraying against Japanese beetle 665–667
Peanut—
Arachin and Conarachin in, Proportionate Occurrence and Properties of These Proteins. D. Breese Jones and Millard J. Horn 673–682
meal—
oil-free, content of arachin and conarachin 681
testing for proteins, methods and results 674–682
Peat Soils, Reed Canary Grass on, Protein Content. Frederick J. Alway and G. H. Nesom 297–320
Pecan—
anther, description and development 1072–1080
anthers, dehiscence, effect of moisture and temperature 1082–1090
catkin primordia—
description 1072
differentiation 1065–1067
flower—
primordia, differentiation 1067–1071
production, relation to nut crop of preceding year 1098–1101, 1103
Leaf Blotch—
J. B. Demaree and J. R. Cole 777–789
causal organism, description 778–785
control, experiment and recommendations 787, 789
pollen—
defective, percentage 1092–1094
dissemination data 1082–1090
germination under varying conditions 1063–1064, 1094–1098
grains, description and characteristics 1090–1092
shedding dates and receptivity of pistillate flowers 1087–1090
staminate inflorescence and pollen, studies 1059–1103

Page

Pecans—
crop production, relation to flower production of following year 1098–1101, 1103
damage by leaf blotch, symptoms and susceptibility 777–778
Pellagra, prevention by feeding beef extract or lean beef 990
Penquite, Robert; Heller, V. G.; and Caskey, Charles: The Possible Toxicity of Grain-Sorghum Smuts 347–351
Pentathionic and Other Sulphur Acids, Effect on Toxicity of Sulphur to Spores of *Sclerotinia cinerea*. O. Neal Liming and H. C. Young 951–962
Phalaris arundinacea. *See* Canary grass, reed.
Phaseolus spp. *See* Beans.
Phloem injury, of alfalfa, result of freezing 122–142
Phosphorus-calcium deficiency in diet of rats, relation to infectious abortion 207–208
Pythium spp., diplanetism, comparison with *Phytophthora* spp 571
Phylogenesis, of wheat, study by cytological method 683–717
Phytophthora, Genus, Repetitional Diplanetism in. Charles Drechsler 557–573
Pigmentation, Anthocyan, Inheritance in Rice. Jenkin W. Jones 1105–1128
Pigs—
anemic—
benefits from outdoor environment 932–933
blood, hemoglobin content and red-cell count 930, 931, 932
blood composition—
effect of iron in ration 925–926
variation with age 929–937
indoor confinement, effect on blood formation 928–933, 937
nutrition, value of iron supplements, studies 921–926, 928–938
paired-feeding experiments, effect of ferric citrate in mineral mixtures 921–926
parasitism of *Strongyloides ransomi*, n. sp., study 14–18
Suckling, Nutritional Anemia, Production and Cure. T. S. Hamilton, G. E. Hunt, H. H. Mitchell, and W. E. Carroll 927–938
vigorous, blood, hemoglobin content and red-cell count 929
weights—
effect of iron and copper in ration 932–936
gains, and feed consumption, effect of iron in ration 923–924, 926
Pink-rot fungus, repetitional diplanetism in, study 557–572
Plants—
Carbohydrate Production, Influence of Potash Concentration in Culture Medium. George Janssen and R. P. Bartholomew 43–261
dry matter, relation to potassium concentration of nutrient medium 244–259
Growing, Automatic Watering System with Recorder, Use. Robert A. Steinberg 233–241
potassium content, relation to potassium concentration of nutrient medium 244–259
total dry weight, relation to potassium concentration of nutrient medium 248–255, 256–259
transpiration, recording by automatic watering system 239–241
water relations, automatic balance, study 233–241
Poa pratensis. *See* Bluegrass, Kentucky.
Pollen—
and Staminate Inflorescence of *Hicoria pecan*, Studies. J. G. Woodroof 1059–1104
defective grains, percentage, determination method 1064
mother cells—
behavior in pecan 1075–1082
of Triticum, Aegilops, and Secale and Their Hybrids, Nuclear Divisions. A. E. Longley and W. J. Sando 683–719
pecan—
artificial germination 1063–1064, 1094–1098
dissemination, data 1086–1090
Popillia japonica. *See* Japanese beetle.
Poppy—
Bacterial Blight Caused by *Bacterium papavericola*, Sp. Nov. Mary K. Bryan and Frank P. McWhorter 1–9

Poppy—Continued. Page
Oriental, susceptibility to bacterial blight 2, 5–6
plant parts, effects of bacterial blight 2–4
Shirley, bacterial blight, study 1–9
Porter, B. A., and Sazama, R. F.: Influence of Bordeaux Mixture on Efficiency of Lubricating-Oil Emulsions in Control of San Jose Scale 755–766

Potash—
Concentration in Culture Medium, Influence on Production of Carbohydrates in Plants. George Janssen and R. P. Bartholomew 243–261
sulphate and muriate, relative availability and absorption by tobacco plant 630–632, 644
Potassium, content of plants, relation to potassium concentration of nutrient medium 244–259
Prolamin, in English ryegrass, isolation and purification 361–368

Prolamins—
in cereal seeds—
nitrogen distribution 367–368
percentage composition 366–367
yields from ryegrass and cereal seeds 364
Protein—
Alcohol-Soluble (Prolamin), Occurring in English Ryegrass (*Lolium perenne*), Isolation and Purification. S. L. Jodidi 361–370
Content of—
Reed Canary Grass on Peat Soils. Frederick J. Alway and G. H. Nesom 297–320
sorghum grains 1132–1133
determination in reed canary grass 301–319
maintenance requirement for lambs, determination 82–86

Proteins—
in Alfalfa Hay, and in Corn and Sunflower Silage, Biological Values and Supplementary Relations. J. Sotola 79–96
in peanuts, determination and properties 674–682
Psallus seriatus. *See* Cotton flea hopper.
Puccinia graminis—
fertile infections, development on barberry 598–604
Heterothallism—
Cytological Study. Ruth F. Allen 585–614
on barberry 595–596
isolated infections, history on barberry 596–598
mycelium, entrance into barberry leaf, and development 589–592
Pycnium, development on barberry 592–595
Puccinia triticina—
inoculation on wheat varieties, effects 418–438, 445
See also Leaf rust, of wheat.
Pullorum Disease (Bacillary White Diarrhea), Transmission in Incubators. Hubert Bunyea and Walter J. Hall 209–223
Pumpkins, bacterial leaf spot, infection and cause 385, 387, 389–391
Pyrausta nubilalis, an important parasite, *Eulimneria crassifemur*, morphology and biology 321–344
Pyrethrum Vapors, Toxicity to Honeybees, Determination Test. Joseph M. Ginsburg 1053–1057
Pyridine and Pyrrolidine, and Some Aliphatic Amines, Some Derivatives of, Insecticidal Action. C. H. Richardson and H. H. Shepard 1007–1015
Pyrrolidine and Pyridine and Some Aliphatic Amines, Some Derivatives of, Insecticidal Action. C. H. Richardson and H. H. Shepard 1007–1015

Rabbits, resistance to parasitism of *Strongyloides ransomi* 21
Rape, inoculation with cruciferous mosaic, results 265
Rat, Albino, Resistance to *Bacterium abortus*, Effect of Diet. Ralph Hoagland and John M. Buck 201–208

Rations—
biological values, determination 80–82
cattle—
digestibility study 40
heat-increment values, determination 39, 54, 58–61, 63, 68–74
net-energy values, experimental study 37–78

Rations—Continued. Page
chick, values, effect of acid-base changes 193–194
hay and silage, protein value for lambs 79–96
nitrogen-free, use in determination of protein maintenance requirements 82–86
pig, ferric citrate in mineral mixtures, paired-feeding experiments 921–926
yellow corn and grain sorghums—
nutritive value, tests 1129–1144, 1147–1153
vitamin-A content 1147–1153
Rats—
feeding—
experiments with *Bacterium abortus* 202–203
nutritive value of yellow corn and grain sorghums 1129–1144, 1147–1153
gains on lean beef as source of vitamin G 989
growth—
and reproduction on rations of sorghum grains and corn 1130–1144
on beef extract as source of vitamin G 977–989
infectious abortion, relation to vitamin content of feed 202–208
inoculation with *Bacterium abortus*, experiments 203–208
liver degeneration from feeding on yellow bovine livers 998–1003
Reductase. *See* Reduction test.
Reduction test, methylene-blue, of milk, variation 855–862
Repellents against Japanese Beetle, Methods Used in Testing. F. W. Metzger 659–671
Respiration, cattle, calorimetric experiments, results 289
Ribes—
nigrum, varieties, differential hosts for *Cronartium ribicola* and *C. occidentale*, study 113, 119
sativum, varieties, differential hosts for *Cronartium ribicola* and *C. occidentale* 113–117, 119
spp., differential hosts for *Cronartium ribicola* and *C. occidentale*, study 105–119
vulgare. *See Ribes sativum*.
Rice—
Anthocyan Pigmentation, Inheritance. Jenkin W. Jones 1105–1128
color characters, inheritance in crosses 1105–1127
seed-coat color, inheritance in crosses 1124–1126, 1127
vegetative organs, color inheritance in crosses 1108–1124, 1126–1127
Richardson, C. H., and Shepard, H. H.: The Insecticidal Action of Some Derivatives of Pyridine and Pyrrolidine and of Some Aliphatic Amines 1007–1015
Root injury, of sweet-corn plant, effect on quality and composition of grain 575–579, 581–582
Rose Diseases, Caused by Species of Coniothyrium in United States. Alma M. Waterman 805–827
Rots, dry, of corn, control by seed treatment, field tests 169–189
Roughage—
effect on water consumption and excretion of lambs 93–95
net-energy value as cattle feed, experimental study 38–40, 42–46, 57–59, 66–77
net-protein values for lambs, study 91–92
Roundworms—
of hogs, new species, description 15–18
See also Nematodes; Strongyloides.
Rubber, obtaining from intisy plant, method 615–616
Rust—
blister. *See* Blister rust.
wheat leaf. *See* Leaf rust, of wheat.
Rutabagas, inoculation with cruciferous mosaic, results 265, 266–268, 270
Rye. See *Secale cereale*.
Ryegrass, English (*Lolium perenne*), Alcohol-Soluble Protein (Prolamin) in, Isolation and Purification. S. L. Jodidi 361–370

Salmonella pullorum—
dissemination in hen-hatched chicks 219–221, 223
infection of chicks in incubators, experiments 209–223
San Jose Scale, Control by Lubricating-Oil Emulsions, Efficiency, Influence of Bordeaux Mixture. B. A. Porter and R. F. Sazama 755–766

Page

Sand drown, of tobacco, symptoms..146–150, 166, 167
Sando, W. J., and Longley, A. E.: Nuclear Divisions in the Pollen Mother Cells of Triticum, Aegilops, and Secale and Their Hybrids..... 683–719
Sanitation, milk, methylene-blue test, variation..... 855–862
Sap concentration in cotton leaves—
correlation with temperature..... 798–799, 802
relation to transpiration and age..... 791–802
Saponin, efficacy as insecticide spreader, comparison with soap..... 1008–1010
Sazama, R. F., and Porter, B. A.: Influence of Bordeaux Mixture on Efficiency of Lubricating-Oil Emulsions in Control of San Jose Scale..... 755–766
Schwartz, Benjamin, and Alicata, Joseph E.—
Species of the Nematode Genus Strongyloides Parasitic in Domestic Swine..... 11–23
Two New Species of Nodular Worms (Oesophagostomum) Parasitic in the Intestine of Domestic Swine..... 517–522
Sclerotinia—
cinerea, Spores, Toxicity of Sulphur to, as Affected by the Presence of Pentathionic and Other Sulphur Acids. O. Neal Liming and H. C. Young..... 951–962
fructicola. See *Sclerotinia cinerea*.
Scurvy, in guinea pigs, prevention by feeding tomatoes..... 767–775
Secale—
cereale—
chromosomes, number and shape..... 685–687
× *S. montanum* hybrids, chromosomes, numbers and behavior..... 687–689, 716
× Triticum hybrids, chromosomes, behavior..... 698–700, 716
Seed-coat colors—
inheritance in—
rice crosses..... 1124–1126, 1127
Soybeans. Ralph T. Stewart..... 829–854
Seed corn—
farm-selected, effects of seed treatment.... 176–189
planting time, relation to effects of seed treatment..... 182–186, 189
Treated, Field Tests with. T. A. Kiesselbach..... 169–189
Seed treatment of—
corn, effect on diseased, disease-free, and farm-selected "planter-box" seed..... 172–181
Wheat, Effects on Germination and Subsequent Growth. D. C. Smith and E. N. Bressman..... 25–36
Selection Characters, as Correlated with Percentage of Sucrose, Weight, and Sucrose Content of Sugar Beets. Dean A. Pack..... 523–546
Serviss, George H., and Hawkins, R. S.: Development of Cotton Fibers in the Pima and Acala Varieties..... 1017–1029
Sex Differences, in Chicks, in Normal Growth Rate. C. W. Ackerson and F. E. Mussehl..... 863–866
Sheep—
physical condition, effect on growth of wool..... 457–458, 466–467
poisoning by rayless goldenrod, experimental results..... 651–657
See also Lambs.
Shepard, H. H., and Richardson, C. H.: The Insecticidal Action of Some Derivative of Pyridine and Pyrrolidine and of Some Aliphatic Amines..... 1007–1015
Siegler, E. A.: Effect of the Apple Strain of the Crown-Gall Organism on Root Production..... 747–753
Silage, Corn and Sunflower, and Alfalfa Hay, Proteins in, Biological Values and Supplementary Relations. J. Sotola..... 79–96
Silica, in soil, variation with depth of profile..... 475–482
Slashed character, in maize, inheritance and linkage studies..... 940–950
Smith—
D. C., and Bressman, E. N.: Some Effects of Seed Treatment on the Germination and Subsequent Growth of Wheat..... 25–36

Smith—Continued. Page
Margaret Cammack—
A Quantitative Comparison of the Vitamin-A Content of Yellow Corn and the Grain Sorghums Hegari and Yellow Milo..... 1147–1153
The Comparative Nutritive Value of Yellow Corn and the Grain Sorghums Hegari and Yellow Milo..... 1129–1145
Smut—
resistance in wheat, discussion..... 231
stinking. *See* Bunt.
Smuts, Grain-Sorghum, Possible Toxicity. V. G. Heller, Charles Caskey, and Robert Penquite..... 347–351
Smythe, C. V.; Williams, P. S.; Williams, H. H.; Forbes, E. B.; Braman, Winfred W.; Kreiss, Max; Swift, R. W.; and French, Rowland B.: Further Studies of the Energy Metabolism of Cattle in Relation to the Plane of Nutrition..... 37–78
Snakehead, in beans. *See* Baldhead.
Snider, George G., and Hoagland, Ralph: Beef Extract as a Source of Vitamin G.... 977–990
Soap—
efficacy as insecticide spreader, comparison with saponin..... 1008–1010
oil emulsions, use with Bordeaux mixture against San Jose scale.. 755–756, 759–761, 763–765
Soil—
constituents, variation with depth of profile..... 475–476
moisture, control by automatic watering system with recorder..... 233–241
profiles—
description of selected samples..... 471
Horizons, Colloidal Material Isolated from, Chemical Composition. I. A. Denison..... 469–483
temperature and moisture, relation to alfalfa-wilt infection..... 99–102
transmission of cabbage yellows..... 724, 725, 730–731, 738–739, 744
Soils—
Colloidal Material Isolated from Horizons of Various Profiles, Chemical Composition. I. A. Denison..... 469–483
colloidal materials, percentage composition and pH values..... 474–475
Peat, Reed Canary Grass on, Protein Content. Frederick J. Alway and G. H. Nesom..... 297–320
percentage composition and pH values in various profiles..... 472–473
Soja max. *See* Soybeans.
Sorghums—
bacterial diseases, comparison..... 975
Bacterial Streak Disease. Charlotte Elliott..... 963–976
Grain—
Hegari and Yellow Milo, and Yellow Corn, Vitamin-A Content, Quantitative Comparison. Margaret Cammack Smith..... 1147–1153
Hegari and Yellow Milo, Nutritive Value, Comparison with Yellow Corn. Margaret Cammack Smith. 1129–1145
Smuts, Possible Toxicity. V. G. Heller, Charles Caskey, and Robert Penquite..... 347–351
varietal susceptibility to bacterial streak disease..... 974
Sorgo, bacterial streak disease, study..... 964, 974
Sotola, J.: Biological Values and Supplementary Relations of the Proteins in Alfalfa Hay and in Corn and Sunflower Silage..... 79–96
Souring of Figs by Yeasts and the Transmission of the Disease by Insects. Panos D. Caldis..... 1031–1051
Soybean, flower color, correlation with seed-coat color..... 852, 853
Soybeans—
breeding behavior in color-inheritance studies..... 831–848
carbohydrate constituents, dry matter, and potassium content, effect of potassium in nutrient medium... 244, 245, 247, 252–259

Soybeans—Continued. Page
hilum color, inheritance 830-831
Seed-Coat Colors, Inheritance. Ralph T. Stewart 829-854
Spraying, fruit, against San Jose scale, efficiency of lubricating oils with Bordeaux mixture 755-765
Sprays—
effectiveness against Japanese beetle 665-667
oil with Bordeaux mixture, efficiency against San Jose scale 755-765
toxicity experiments with nicotine and other compounds 1007-1014
Squash, Bacterial Leaf Spot. Mary K. Bryan 385-391
Staminate Inflorescence, and Pollen of *Hicoria pecan*, Studies. J. G. Woodroof 1059-1104
Starch, digestion in tobacco leaves, effect of chlorine in fertilizer 639, 645
Starches, content of plants, relation to potassium concentration of nutrient medium 246-259
Steers. *See* Cattle.
Steinberg, Robert A.: An Automatic Watering System with Recorder for Use in Growing Plants 233-241
Stem canker. *See* Canker, stem.
Stewart, Ralph T.: Inheritance of Certain Seed-Coat Colors in Soybeans 829-854
Strawberries—
ever-bearing—
crown development 410
Fruit-Bud Formation. George F. Waldo 409-416
runners, production and differentiation 410-413
fruit-bud formation, stages 396-407, 410-413
Strawberry—
Fruit-Bud—
Development in Varieties and Species. George F. Waldo 393-407
differentiation and date of fruit-bud formation, by varieties 396-397, 403, 410-413
Kalicene, fruit-bud development 394, 396-398, 403, 404, 406-407
varieties—
classification by fruit-bud formation 398, 406
fruit-bud development 393-407, 410-413
Streak disease—
bacterial. *See* Bacterial streak disease.
of crucifers. *See* Mosaic, cruciferous.
Strongyloides—
Nematode Genus, Species Parasitic in Domestic Swine. Benjamin Schwartz and Joseph E. Alicata 11-23
papillosus, comparison with *S. ransomi*, n. sp. 18-21
ransomi, n. sp.—
description 15-18
resistance of abnormal hosts 21
suis—
Reisinger's form, description 21-22
status of name, discussion 11, 21-22
Succulence, in plants, relation to potassium concentration of nutrient medium 258
Sucrose—
content of sugar beet—
relation to structure 910-913
relation to other selection characters 523-544
Sudan grass, carbohydrate constituents, dry matter, and potassium content, effect of potassium in nutrient medium 247, 251-252, 254, 256-259
Sugar—
Content of Sugar Beets, Relation to Structure and Type. Ernst Artschwager 867-915
See also Sucrose.
Sugar beets—
anatomical structure, effect of environment 909-910
breeding, preliminary study 523-544
central core, structure, description 890-896
characters—
mean, standard deviation, and coefficient of variability 883-884
partial correlation coefficients 529, 541-544
total correlation coefficients 527-528

Sugar beets—Continued. Page
macroscopic, chemical, and microscopic data 870-882
percentage of sucrose—
relation to weight and sucrose content 526-529, 540-544
weight and sucrose content, relation to other selection characters 530-542
Selection Characters as Correlated with Percentage of Sucrose, Weight, and Sucrose Content. Dean A. Pack 523-546
Structure in Relation to Sugar Content and Type. Ernst Artschwager 867-915
type purity, relation to structure and sucrose content 910-913
vascular rings, structure, description 885-890, 896-909
weight, relation to sucrose content 529, 540-544
yield and sugar content of 30 selections in Colorado 912
zonation and color of flesh 885-886
Sugars—
content of plants, relation to potassium concentration of nutrient medium 246-259
fermentation by yeasts from soured figs 1039-1041
Sulphur—
acid-free, toxicity tests 958-959
acids, toxicity tests 953-958
filtrates, toxicity tests 955-956
oxidized, toxicity tests 961, 962
Toxicity to Spores of *Sclerotinia cinerea* as Affected by the Presence of Pentathionic and Other Sulphur Acids. O. Neal Liming and H. C. Young 951-962
use against wheat leaf rust 424-427, 434, 445
Sunflower and Corn Silage and Alfalfa Hay, Proteins in, Biological Values and Supplementary Relations. J. Sotola 79-96
Swede, inoculation with cruciferous mosaic 265, 266-268, 270
Sweet corn. *See* Corn, sweet.
Sweetclover plants, carbohydrate constituents, dry matter, and potassium content, effect of potassium in nutrient medium 246, 247, 249, 258-259
Swift, R. W.; French, Rowland B.; Smythe, C. V.; Williams, P. S.; Williams, H. H.; Forbes, E. B.; Braman, Winfred W.; and Kriss, Max: Further Studies of the Energy Metabolism of Cattle in Relation to the Plane of Nutrition 37-78
Swine—
Domestic—
Nodular Worms (Oesophagostomum), Two New Species Parasitic in the Intestine. Benjamin Schwartz and Joseph E. Alicata 517-522
Parasitism of Species of Nematode Genus Strongyloides. Benjamin Schwartz and Joseph E. Alicata 11-23
Growing, Paired-Feeding Experiments with Ferric Citrate as an Ingredient of Mineral Mixtures. W. E. Carroll, H. H. Mitchell and G. E. Hunt 921-926
Swingle, Charles F.: The Anatomy of *Euphorbia intisy* 615-625

Temperature—
and Soil-Moisture Relations of *Fusarium oxysporum* var. *medicaginis*. J. L. Weimer 97-103
effects on—
cruciferous mosaic 269-270
fiber development in cotton 1026-1029
mycelial growth of alfalfa-wilt fungus 98-99
pollen dissemination in pecan 1082-1086, 1096-1098
of cotton leaves—
correlation with cell-sap concentration 798-799, 802
relation to age 796-802
relation to transpiration 791, 792, 798, 802
Tennyson, J. B., and Hardy, J. I.: Wool Fineness as Influenced by Rate of Growth 457-467
Thompson, W. R., and Parker, H. L.: The Morphology and Biology of *Eulimneria crassifemur*, an Important Parasite of the European Corn Borer 321-345

Page

Thresher Injury—
Cause of Baldhead in Beans. L. L. Harter ... 371–384
to bean varieties ... 376–378, 383
Threshing, beans, mechanical injury to plants ... 371–384
Tilletia tritici, Bunt, Resistance in White Odessa Wheat, Inheritance. Fred N. Briggs ... 353–359
Timothy, protein content on peat soils, comparison with reed canary grass ... 314–316
Tobacco—
calcium deficiency, symptoms ... 155–163, 166, 167
Crop, Magnesium and Calcium Requirements. W. W. Garner, J. E. McMurtrey, jr., J. D. Bowling, jr., and E. G. Moss ... 145–168
cured leaf, quality, effect of chlorine in fertilizer ... 639–644, 645–646
fertilizer, magnesium and calcium balance ... 163–166, 168
magnesium—
content, effect of fertilizer additions ... 153–155
deficiency, effect on composition ... 150–152
hunger, factors affecting ... 152–153
hunger, symptoms ... 146–150, 166, 167
plant—
absorption of forms of potash ... 630–632, 644
carbohydrate metabolism, effect of chlorine in fertilizer ... 635–639, 645
drought resistance, relation to chlorine in fertilizer ... 632–635, 644–645
Rôle of Chlorine in Nutrition and Growth, and Effect on Quality of Cured Leaf. W. W. Garner, J. E. McMurtrey, jr., J. D. Bowling, jr., and E. G. Moss ... 627–648
yield and value, effect of—
chlorine ... 627–630, 644, 646
magnesium and calcium ... 164
Tomato plant, succulence, relation to potassium concentration of nutrient medium ... 258
Tomatoes—
canning, effect on vitamin-C content ... 768, 770–771, 775
Fresh and Canned, Vitamin C in, Studies. Bertha Clow and Abby L. Marlatt ... 767–775
green, pickling, effect on vitamin-C content ... 775
ripening methods, effect on vitamin-C content ... 769–773, 775
softening, effect on vitamin-C content ... 773–774, 775
vitamin-C content at different stages of maturity ... 773, 774, 775
Toxicity of—
nicotine and other nitrogenous compounds to *Aphis rumicis* ... 1007–1014
Pyrethrum Vapors to Honeybees, Determination Test: Joseph M. Ginsburg. 1053–1057
Sulphur to Spores of *Sclerotinia cinerea* as Affected by the Presence of Pentathionic and Other Sulphur Acids. O. Neal Liming and H. C. Young ... 951–962
Transpiration—
of Cotton Leaves—
and Cell-Sap Concentration, Relation to Age and Development. Frank M. Eaton ... 791–803
relation to temperature ... 791, 792, 798, 802
study methods ... 791–792
plant, recording by aid of automatic watering system ... 239–241
Trembles, in sheep, result of feeding rayless goldenrod ... 652–655, 657–658
Tremetol, presence in rayless goldenrod ... 652–655, 657–658
Tricalcium phosphate, effect on growth of chicks ... 193, 194, 195
Triticum—
species and hybrids, chromosomes, numbers and behavior ... 689–697, 713–717
spp., susceptibility to mosaic of winter wheat ... 549
× Aegilops hybrids, chromosomes, behavior ... 704–713, 714, 716
× Secale hybrids, chromosomes, behavior ... 698–700, 716

Page

Triticum—Continued.
× Triticum hybrids, pollen mother cells, meiotic phenomena ... 697–698, 713, 716
See also Wheat.
Turnip, flat, inoculation with cruciferous mosaic, results ... 265

Utah, Salt Lake City, meteorological data, April to October, 1925 ... 524

Vapor-dispensing devices, use for repelling Japanese beetle ... 670–671
Vaporizers, use in testing Japanese-beetle repellents ... 668–670
Venturia inaequalis, control with oxidized sulphur, tests ... 961
Vinegar fly, transmission of yeasts from soured figs ... 1043, 1048–1049
Vitamin—
A—
content of sorghum grains ... 1135–1144
Content of Yellow Corn and the Grain Sorghums Hegari and Yellow Milo, Quantitative Comparison. Margaret Cammack Smith ... 1147–1153
deficiency in diet of rats, relation to infectious abortion ... 202, 204–205, 208
reserve stores in animals, relation to dietary requirements ... 1142–1144
antiscorbutic, content of fresh and canned tomatoes ... 767–775
B, deficiency in diet of rats, relation to infectious abortion ... 205–207, 208
C, in Tomatoes, Fresh and Canned, Studies. Bertha Clow and Abby L. Marlatt ... 767–775
D, effect on calcium and phosphorus assimilation in chicks ... 191, 192, 198
E, deficiency in diet of rats, relation to infectious abortion ... 207, 208
G—
definition of term ... 977
Source in Beef Extract. Ralph Hoagland and George G. Snider ... 977–990

Waldo, George F.: Fruit-Bud—
Development in Strawberry Varieties and Species ... 393–407
Formation in Everbearing Strawberries ... 409–416
Walker, J. C.: Inheritance of Fusarium Resistance in Cabbage ... 721–745
Water, combined, in soil, variation with depth of profile ... 472–482
Watering System, Automatic, with Recorder, for Use in Growing Plants. Robert A. Steinberg ... 233–241
Waterman, Alma M.: Diseases of Rose Caused by Species of Coniothyrium in the United States ... 805–827
Weathering, effect on toxicity of sulphur ... 959–960
Weimer, J. L.—
Alfalfa Root Injuries Resulting from Freezing ... 121–143
Temperature and Soil-moisture Relations of *Fusarium oxysporum* var. *medicaginis* ... 97–103
Wheat—
blossoming time, correlation with effect of rust on kernel production ... 433, 438
crossbreeding, for resistance to bunt ... 353, 354–358
crosses, resistance to bunt ... 226–232
Germination and Growth, Effects of Seed Treatment. D. C. Smith and E. N. Bressman ... 25–36
Hussar, Inheritance of Second Factor for Resistance to Bunt, *Tilletia tritici*. F. N. Briggs ... 225–232
kernel formation, effect of leaf-rust infection ... 418–434, 445
Leaf Rust (*Puccinia triticina* Eriks.), Effect on Yield. E. B. Mains ... 417–446
Mosaic, Transmission to All Cereal Species in the Tribe Hordeae. H. H. McKinney ... 547–556
overwintering, effect of leaf rust ... 434–436, 438
phylogenesis, study by cytological method ... 683–717

Wheat—Continued. Page
seed—
freezing, effect on germination and growth 28, 30, 34–35
germination, effect of chemical treatments 31–32
Treatment, Effects on Germination and Subsequent Growth. D. C. Smith and E. N. Bressman 25–36
water soaking, effects on growth 28–29, 31, 34
seedling growth, effect of seed treatment 27–35
smut resistance, discussion 231
varietal resistance to leaf rust, experiments 418, 438, 445
varieties—
inoculation with *Puccinia triticina*, effects 418–438, 445
susceptibility to mosaic 549
White Federation and White Odessa, crossing for bunt resistance 353, 354–358
White Odessa, Inheritance of Resistance to Bunt, *Tilletia tritici*. Fred N. Briggs. 353–359
winter—
planting time, relation to heading 33–44
vegetative dormancy, modification by seed treatment 25–35
Yield—
Effect of Leaf Rust (*Puccinia triticina* Eriks.) E. B. Mains 417–446
effect of seed treatment 29–31
reduction due to leaf rust, 1919–1927 440–444
See also Triticum.
White diarrhea, bacillary, transmission in incubators 209–223
Williams—
H. H.; Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Swift, R. W.; French, Rowland B.; Smythe, C. V.; and Williams, P. S.: Further Studies of the Energy Metabolism of Cattle in Relation to the Plane of Nutrition 37–78
Williams—Continued. Page
P. S.; Williams, H. H.; Forbes, E. B.; Braman, Winfred W.; Kriss, Max; Swift, R. W.; French, Rowland B.; and Smythe, C. V.: Further Studies of the Energy Metabolism of Cattle in Relation to the Plane of Nutrition 37–78
Wilt, Fusarium, of alfalfa, temperature and soil-moisture relations 98–99
Woodroof, J. G.: Studies of the Staminate Inflorescence and Pollen of *Hicoria pecan* 1059–1104
Wool—
fibers—
growth in Corriedale sheep, measurement 460–466
thinning, relation to health of sheep 457, 458, 466–467
Fineness as Influenced by Rate of Growth. J. I. Hardy and J. B. Tennyson 457–467
growth rate, effect of condition of sheep 463, 466, 467
Woolly knot organism, apple strain, effect on root production 747–753
Worms, nodular, parasitic in intestine of swine 517–522

Yeasts—
cause of souring of figs, transmission, experiments 1042–1049
isolated from soured figs—
fermentation of sugars and fruit juices. 1039–1041
morphology and pathogenicity 1041–1042
Yellows—
resistance in cabbage, inheritance 721–745
symptoms in cabbage 722–723
Young, H. C., and Liming, O. Neal: Toxicity of Sulphur to Spores of *Sclerotinia cinerea* as Affected by the Presence of Pentathionic and Other Sulphur Acids .. 951–96